No.



8200167

## AHUE UNITHED SHAMES OF AMIERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

## Pure Seed Testing

Withereas, there has been presented to the

#### edoureburgebonen . Ich . Lentebedenebes et

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, MPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT Y THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

TALL FESCUE

'Jaguar'

En Esstimonn Wancrot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 28th day of February in the year of our Lord one thousand nine hundred and eighty-three.

Stest:

Kennett H. Eva.

Plant Variety Protection Office

Grain Division Annicultural Market G R Black

Secretary of Agriculture

| AGRICULTURAI MA   | AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION                     |   |  |   |
|---|--|---|--|---|
| APPLICATION FOR PLANT VAR INSTRUCTIONS: See Reverse.  | IETY PROTECTIO   | N CERTIFICATE   | No, certificate for pla<br>be issued unless a co<br>has been received (5   | OMB NO. 40-R382:<br>ant variety protection may<br>empleted application form<br>U.S.C. 553). |
| 1a. TEMPORARY DESIGNATION OF VARIETY  | 1b. VARIETY NAM  | IE  | FOR OFFICIAL USE ONLY  |   |
| 572   | Jaguar   |   | 8200167  |   |
| 2. KIND NAME  | 3. GENUS AND SPE   | CIES NAME   | FILING DATE  | TIME XXX  |
| Tall fescue   | Festuca aru  |   | 8/24/82<br>FEE RECEIVED  | 12:30 P.M.  |
| 4. FAMILY NAME (BOTANICAL)  | 5. DATE OF DETE  | RMINATION   | \$ <u>500.00</u>   | 8/24/82   |
| Gramineae   | August, 198  | 1   | \$ 250.00  | 1/27/83   |
| 6. NAME OF APPLICANT(S)   | 7. ADDRESS (Stree  | t and No. or R.F.D. No.,  | City, State, and ZIP   | B. TELEPHONE AREA   |
| Pure-Seed Testing   | P. O. Box 44<br>Hubbard, OR  | 49, 73 West G St<br>97032   | treet  | 503-981-7333  |
| 9. IF THE NAMED APPLICANT IS NOT A ORGANIZATION: (Corporation, partner.   | PERSON, FORM OF  | 10. IF INCORPORATI  | D, GIVE STATE AND  | 11. DATE OF INCOR-  |
| Corporation   | p, 2300mmon, etc.)   | 1   | CHATION  | PORATION  |
| 12. NAME AND MAILING ADDRESS OF AP  | PLICANT REPRESENTA   | Oregon  | ERVE IN THIS APPLIC  | June 3, 1974  |
| ALL PAPERS: William A. Meye   |  |   | ELIVE NV IIIIS AFTER   | ATION AND RECEIVE   |
| P. O. Box 449<br>Hubbard, OR 970  | 32   | SCING   |  |   |
| 13. CHECK BOX BELOW FOR EACH ATTAC  |  |   |  |   |
| 13A. Exhibit A, Origin and Bro  |  | Variety (See Section 5  | 2 of the Plant Variety   | Protection Act.)  |
| X 13B. Exhibit B, Novelty States  | ment.  |   |  |   |
| X 13C. Exhibit C, Objective Desc  | cription of the Variety  | (Request form from )  | Plant Variety Protecti   | on Office   |
| 🛽 13D. Exhibit D, Additional De   |  |   |  |   |
| 14a. DOES THE APPLICANT(S) SPECIFY THA  | AT SEED OF THIS VAR  | ETY BE SOLD BY VAR  | IETY NAME ONLY AS  | A CLASS OF CERTIFIE   |
| SEED! (See Section 65(a). [1] "Yes," ansi   | ver 14B and 14C below.)  | YES X   | vo   |   |
| 14b. DOES THE APPLICANT(S) SPECIFY THA  | AT THIS VARIETY BE<br>FIONS?   | 14c. IF "YES," TO 14B<br>TION BEYOND BI   | , HOW MANY GENERA<br>REEDER SEED?  | ATIONS OF PRODUC-   |
| X YES NO  |  | X FOUNDATION  | REGISTERED   | X CERTIFIED   |
| 15a. DID THE APPLICANT(S) FILE FOR PRO-<br>name of countries and dates.)  | TECTION OF THIS VAF  | HETY IN OTHER COUN  | TRIES? TYES  | X NO (If "Yes," give  |
|   |  |   |  |   |
|   |  |   |  |   |
| 15b. HAVE RIGHTS BEEN GRANTED THIS V and dates.)  | ARIETY IN OTHER CO   | UNTRIES? YES  | X NO (If "Yes," g  | ive name of countries   |
|   |  |   |  |   |
|   | ÷  |   |  |   |
|   |  |   |  |   |
|   |  |   |  |   |
| 16. DOES THE APPLICANT(S) AGREE TO THE JOURNAL?   | HE PUBLICATION OF H  | IS/HER (THEIR) NAME   | (S) AND ADDRESS IN   |   |
| 17. The applicant(s) declare(s) that a viable   | le sample of basic seed  | of this variety will be   | furnished with the ac  | THE OFFICIAL  |
| The applicant(s) declare(s) that a viable replenished upon request in accordance.  The undersigned applicant(s) is (are) to variety is distinct, uniform, and stable                              | le sample of basic seed<br>the with such regulation<br>the owner(s) of this sea                          | of this variety will be<br>as as may be applicable  | furnished with the ap  | THE OFFICIAL oplication and will be   |
| The applicant(s) declare(s) that a viable replenished upon request in accordance.  The undersigned applicant(s) is (are) to variety is distinct, uniform, and stable 42 of the Plant Variety Act. | le sample of basic seed<br>te with such regulation<br>the owner(s) of this ser<br>as required in Section | of this variety will be<br>as as may be applicable<br>sually reproduced now<br>41, and is entitled to                           | furnished with the ap<br>el plant variety, and b<br>protection under the   | THE OFFICIAL  oplication and will be elieve(s) that the provisions of Section               |
| The applicant(s) declare(s) that a viable replenished upon request in accordance.  The undersigned applicant(s) is (are) to variety is distinct, uniform, and stable                              | le sample of basic seed<br>te with such regulation<br>the owner(s) of this ser<br>as required in Section | of this variety will be<br>as as may be applicable<br>sually reproduced now<br>41, and is entitled to<br>n can jeopardize prote | furnished with the ap  | THE OFFICIAL  oplication and will be elieve(s) that the provisions of Section               |
| The applicant(s) declare(s) that a viable replenished upon request in accordance.  The undersigned applicant(s) is (are) to variety is distinct, uniform, and stable 42 of the Plant Variety Act. | le sample of basic seed<br>te with such regulation<br>the owner(s) of this ser<br>as required in Section | of this variety will be as as may be applicable to all y reproduced now 41, and is entitled to an ignorable prote               | furnished with the ap  | oplication and will be elieve(s) that the provisions of Section nalties.                    |
| The applicant(s) declare(s) that a viable replenished upon request in accordance.  The undersigned applicant(s) is (are) to variety is distinct, uniform, and stable 42 of the Plant Variety Act. | le sample of basic seed<br>te with such regulation<br>the owner(s) of this ser<br>as required in Section | of this variety will be as as may be applicable to all y reproduced now 41, and is entitled to an ignorable prote               | furnished with the aperical plant variety, and be protection under the ction and result in perical control of the control of t | oplication and will be elieve(s) that the provisions of Section nalties.                    |

#### EXHIBIT A.

## ORIGIN AND BREEDING HISTORY OF JAGUAR TALL FESCUE

1. Jaguar (expt. 572) tall fescue is an advanced generation synthetic cultivar derived from the progenies of 12 clones. Plants collected from old turf areas in Alabama, North Carolina, Pennsylvania, and New Jersey contributed to the parental germplasm of Jaguar. Clones were selected from space plant nurseries based on their late maturity, reduced vertical growth, disease resistance, dark color and seed yield. Single plant progenies were evaluated for turf performance.

Fifty clones were chosen as the parents of Jaguar after 3 cycles of phenotypic recurrent selection and two years of evaluation as clones for resistance to crown rust, late maturity, and seed yield.

- 2. Breeder seed of Jaguar is produced by allowing the 50 parental clones to interpollinate in an isolated nursery. Seed production is limited to 2 generations of increase from breeder seed one each of foundation and certified.
- 3. Jaguar is a stable and uniform variety. No off-type plants or variants have been observed in the reproduction or multiplication of Jaguar. Jaguar tall fescue and the parents of Jaguar have all produced turf of good quality and acceptable uniformity.

#### EXHIBIT B.

## NOVELTY STATEMENT ON JAGUAR TALL FESCUE

Jaguar most closely resembles the variety Rebel tall fescue. However, close comparisons show that the two cultivars differ in the following characteristics:

- 1. Jaguar has shown better resistance to leaf spot and crown rust. (Table 4, 6).
- 2. Jaguar is 3-4 days later maturing than Rebel (Table 1.).
- 3. Jaguar has a darker blue color (RHS 137B) than Rebel (RHS 137D) (Table 7.).

# U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782 OBJECTIVE DESCRIPTION OF VARIETY FESCUE

| ( <u>Festuca spp.</u> )  |   |
|--|---|
| NAME OF APPLICANT(S)   | VARIETY NAME OR TEMPORARY DESIGNATION                               |
| Pure-Seed Testing, Inc.  | Jaguar tall fescue (572)  |
| ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code)   | FOR OFFICIAL USE ONLY   |
| P. O. Box 449, 73 West G Street  | PVPO NUMBER   |
| Hubbard, Oregon 97032  | 8200167   |
| Place the appropriate number that describes the varietal character of this variety in the box                                | res below. Place a zero in first box (e.g. 0 8 9 or 0 9) wher       |
| number is either 99 or less or 9 or less. Characteristics described, including numerical meas                                | surements, should represent those that are typical for the variety. |
| Ranges may be given also. Measured data should be for SPACED PLANTS. Royal Horticu mine plant colors; designate system used: | Describe location of test area                                      |
| All questions need not be answered, however, completeness should be striven for in order t                                   | to establish the most adequate Variety Identification               |
| 1. SPECIES: (With comparison varieties for use below - use varieties within species of a                                     |   |
| 1 = F ARUNDINACEA (TALL) 11 = ALTA 12 = FAWN 13 = GOA<br>2 = F. PRATENSIS (MEADOW) 21 = ENSIGN 22 = TRADER                   |   |
| 3 = F. RUBRA SSP. COMMUTATA (CHEWINGS) 31 = CASCADE 32 = HIG<br>4 = F. RUBRA SSP. RUBRA (RED) 41 = BOREAL 42 = PENNLAWN 43   |   |
| 5 = F. <u>OVINA</u> VAR. <u>OVINA</u> (SHEEP)<br>6 = F. <u>LONGIFOLIA</u> (HARD) 61 = DURAR 62 = BILJART (C-26) 63           | = SCALDIS   |
| 7 = OTHER (SPECIFY) F  | · ·   |
| 2. CYTOLOGY  |   |
| 4 2 2n CHROMOSOME NUMBER   |   |
| 3. ADAPTATION: (O = Not Tested; 1 = Not Adapted; 2 = Adapted)  |   |
| 2 NORTHEAST 2 SOUTHEAST 2 NORTH CENTRAL  | 2 PACIFIC N.W. 2 OTHER California                                   |
| 4. MATURITY: (50% Headed) Give Test Area   | (40.00)   |
| DAYS EARLIER THAN  |   |
| MATURITY SAME AS   | SISON VARIETY   |
| 14 DAYS LATER THAN   | 1.  |
| 5. PLANT HEIGHT: (At maturity to top of panicle)   |   |
|  |   |
| 3 4 4 4 mm HEIGHT  |   |
| 2 1.7 mm SHORTER THAN 1 4 Table  | 2.  |
| HEIGHT SAME AS   | ISON VARIETY  |
| mm TALLER THAN   |   |
| 6. GROWTH HABIT (Mature)   |   |
| 1 = ERECT (KENTUCKY 31) 2 = SEMI-ERECT (HIGHLIGHT) 3 = PF  | ROSTRATE  |
| 7. RHIZOMES  |   |
| mm LENGTH mm WIDTH   | 4   |
| 0 = ABSENT 1 = WEAKLY CREEPING (DAWSON) 2 = STRONGLY CF  | REEPING (BOREAL) 3 = OTHER  |
| 8. LEAF BLADE:   |   |
| 1 = LIGHT GREEN (GOLFROOD) 2 = MODERATELY LIGHT GR   | REEN (HIGHLIGHT) 3 = MEDIUM GREEN (JAMESTOWN,<br>KENTUCKY 31)       |

6 = GRAYGREEN

7 = OTHER(SPECIFY)

4 = DARK GREEN (CASCADE) 5 = BLUEGREEN

| 8. LEAF BLADE:   |
|--|
| ANTHOCYANIN: 0 = ABSENT 1 = PRESENT HAIRS (BASAL): 0 = ABSENT 1 = PRESENT 2 MARGINS: 2 = SEMI-ROUG                     |
| 2 0 8 mm LENGTH (FIRST LEAF BELOW FLAG LEAF) 3 .8 mm WIDTH Table 2.  |
| 7 2 mm SHORTER THAN  |
| LENGTH SAME AS   |
| mm LONGER THAN   |
| 9. LEAF SHEATH (Plant Base):   |
| COLOR: 1 = WHITE (HIGHLIGHT) 2 = RED 1 AURICLE HAIRINESS: 0 = ABSENT 1 = PRESENT                                       |
| 10. PANICLE (Mature plant)   |
| 5½" row - Table 3.    5   7   NUMBER OF PANICLES PER PLANT (FIRST YEAR OF PRODUCTION - FALL OR SPRING PLANTING SPECIFY |
| 2 3 0 mm LENGTH GRAMS OF SEED PER PANICLE  |
| 4 6 mm SHORTER THAN 1 4 GRAMS LESS SEED THAN   |
| LENGTH SAME AS   |
| mm LONGER THAN   |
| SHAPE: 1 = NARROW-TAPERING 2 = EGG SHAPE 3 = OBLONG 4 = OTHER (SPECIFY)  |
| TYPE: 1 = OPEN 2 = INTERMEDIATE 3 = COMPACT  |
| HABIT: 1 = ERECT 2 = NODDING   |
| BRANCHES:- 1 = SMOOTH 2 = ROUGH  |
| COLOR (At 50% flowering): 1 = YELLOWISH GREEN 2 = GREEN 3 = BLUISH GREEN 4 = PURPLISH 5 = REDDISH  6 = OTHER (SPECIFY) |
| 11. PALEA:   |
| HAIRS (ON KEELS): 0 = ABSENT 1 = SHORT (OLDS) 2 = LONG (RAINIER)   |
| 12. LEMMA:   |
| 1 HAIRS: 0 = ABSENT 1 = PRESENT TEXTURE: 1 = SMOOTH 2 = ROUGH  |
| mm LEMMA LENGTH mm LEMMA WIDTH   |
| mm SHORTER THAN  |
| LENGTH SAME AS   |
| mm LONGER THAN   |
| 1 AWNS: 0 = ABSENT 1 = PRESENT   |
| mm AWN LENGTH Table 3.   |

| FORM GR-470-37 (PAGE : | 3>  |                |                   |   |              | 8200167                  | 1         |
|------------------------|---|----------------|-------------------|---|--------------|--------------------------|-----------|
| 12. LEMMA:             |   |                |                   |   |              |                          |           |
| mm SHORT               | TER THAN  |                |                   |   |              |                          | £<br>. s  |
| LENGTH S.              | AME AS  | $\square$ $\{$ | COMPARI           |   |              |                          |           |
| mm LONGE               | ER THAN   |                |                   |   |              |                          |           |
| 13. SEED:              |   |                |                   |   |              | ,                        |           |
| 6 3 mm LEN             | IGTH  |                | •                 | mm WIDTH                                      |              |                          |           |
| mm SHC                 | DRTER THAN  |                |                   | mm. NARROW                                    | ER THAN      |                          |           |
| LENGT                  | H SAME AS   |                | MPARISO           | N WIDTH SAME                                  | AS           | COMPAI                   |           |
| 3 mm LON               | IGER THAN . 1   | 4              | ٠.                | 3 mm WIDER TH                                 | AN           | 1 4                      |           |
| 2 4 4 7 GRA            | AMS PER 1000 SEED   |                |                   |   |              |                          |           |
| GRA                    | AMS LESS THAN   |                |                   |   |              |                          |           |
| WEI                    | GHT SAME AS · ·   |                | MPARISOI<br>RIETY | N   |              | •                        | ,         |
| 3 3 2 GRA              | AMS MORE THAN . 1   | 4              |                   |   |              |                          |           |
| 14. DISEASE, INSECT    | , AND NEMATODE (O =                                       | Not Tested,    | 1 = Suscept       | tible, 2 = Resistant):                        |              |                          |           |
| 2 HELMINTHOSPOF        | NUM VAGANS  | 0 H            | SOROKINI          | ANUM  | 2            | H. DICTYOIDES            |           |
| 2 RHIZOCTONIA SC       | DLANI   | 2 ER           | YSIPHE G          | RAMINIS                                       | 2            | USTILAGO STRIIFOI        | RMIS      |
| 0 FUSARIUM NIVA        | <u>LE</u>   | 0 F.           | ROSEUM            |   | 0            | TYPHULA IOTANA           |           |
| 0 PUCCINIA GRAMI       | <u>NIS</u>  | 0 2.5          | TRIIFOR           | MIS   | 0            | P. POAE-NEMORALIS        | <u> </u>  |
| 2 P. CORONATA          |   |                | THIUM UL          |   | 2            | CORTICIUM FUSCIFO        |           |
| 2 SCLEROTINIA HO       |   |                | ECT               |   | _            | NEMATODE                 |           |
| OTHER                  |   | ОТ             | HER               | · · · · · · · · · · · · · · · · · · ·         | - []         | OTHER                    |           |
| 15. GIVE VARIETY O     | R VARIETIES THAT MO                                       | ST CLOSEL      | Y RESEME          | BLE THE APPLICATION V                         | ARIETY.      | For the following charac | teristics |
|                        | esemblance (D.R.) by plac<br>tety is less than comparison |                | lumn marki        | ed, D.R., one of the following<br>2 = Same as | ng number    | s:                       |           |
|                        | er, greater, darker, more d                               |                | nt, etc.          | ∠ – same as                                   |              |                          |           |
| CHARACTER              | VARIETY   |                | D.R.              | CHARACTER                                     | <u> </u>     | VARIETY                  | D. R.     |
| RHIZOME LENGTH         | Rebel   |                | 2                 | GROWTH HABIT                                  | R            | ebel                     | 2 3       |
| LEAF WIDTH             | Rebel   |                | 1                 | LEAF COLOR                                    | Re           | ebel .                   | 3         |
| PANICLE COLOR          |   |                | <u> </u>          | PANICLE SHAPE                                 | <del> </del> |                          |           |
| WINTER COLOR           | Rebel   |                | 2                 | COLD INJURY                                   | Re           | ebel                     | 2         |
| SHADE TOLERANCE        | Kentucky 31   | <del> </del>   | 3                 | HEAT  |              |                          |           |
| DROUGHT                |   |                | <b> </b>          | DISEASE Leaf spo                              |              | ebel                     | 3         |
|                        |   |                | 1                 | crown rust<br>(Table 4,6)                     | 1 Re         | ebel .                   | 1 3       |

\*Specify each disease evaluated.

And the control of the control o

#### EXHIBIT D.

## ADDITIONAL DESCRIPTION OF JAGUAR TALL FESCUE

Jaguar is an attractive, leafy, turf-type tall fescue with good density, a medium dark green color (Table 7) and a moderately low growth habit. It has shown good heat and drought adaptation, good shade adaptation and very good low temperature color retention in late fall (Table 5). In turf trials in New Jersey, Maryland, California, and Oregon it has had very good turf performance compared to other tall fescues (Table 5). It has very good resistance to leaf spot and brown patch (Table 4, 6).

TABLE 1.

HEADING DATES OF TALL FESCUES SEEDED NEAR HUBBARD, OR ONE TRIAL SEEDED IN THE FALL OF 1980 AND

TWO TRIALS SEEDED IN THE FALL OF 1981.

|             |            | 50% H      | EADING DATES | •                |
|-------------|------------|------------|--------------|------------------|
|             | FALL, 1980 | TRIAL 1981 | NORTH TRIAL  | 1981 SOUTH TRIAL |
|             | 1981       | 1982       | 1982         | 1982             |
| ENTRY       | DATE       | DATE       | DATE         | DATE             |
| Jaguar      | 5/21       | 5/22       | 5/23         | 5/22             |
| Rebe1       | 5/18       | 5/18       | 5/18         | 5/18             |
| Olympic     | 5/14       | 5/15       | 5/15         | 5/15             |
| Falcon      | 5/11       | 5/13       | 5/13         | 5/12             |
| Kentucky 31 | 5/6        | 5/9        | 5/8          | 5/8              |

TABLE 2.

MORPHOLLOGICAL MEASUREMENTS JULY, 1982 ON
TALL FESCUE GROWN NEAR HUBBARD, OR
IN SEED YIELD TRIALS SEEDED IN AUGUST, 1981

| ENTRY       | PLANT<br>HEIGHT<br>CM | STANDARD<br>ERROR OF<br>MEAN | FLAG LEAF<br>LENGTH<br>CM | STANDARD<br>ERROR OR<br>MEAN | FLAG LEAF<br>WIDTH<br>MM | STANDARD<br>ERROR OF<br>MEAN |
|-------------|-----------------------|------------------------------|---------------------------|------------------------------|--------------------------|------------------------------|
| Jaguar      | 134.4                 | 0.9                          | 20.8                      | 0.4                          | 3,8                      | 0.2                          |
| Rebel       | 138.0                 | 0.7                          | 17.8                      | 0.4                          | 4.8                      | 0.2                          |
| Kentucky 31 | 156.1                 | 1.4                          | 28.0                      | 0.7                          | 8.3                      | 0.3                          |

TABLE 3.

MORPHOLLOGICAL MEASUREMENTS JULY, 1982 ON
TALL FESCUE GROWN NEAR HUBBARD, OR
IN SEED YIELD TRIALS SEEDED IN AUGUST, 1981

| ENTRY       | PANICLE<br>LENGTH<br>CM | STANDARD<br>ERROR OF<br>MEAN | # PANICLES 5½" ROW | STANDARD<br>ERROR OF<br>MEAN | AWN<br>LENGTH<br>MM | STANDARD<br>ERROR OF<br>MEAN |
|-------------|-------------------------|------------------------------|--------------------|------------------------------|---------------------|------------------------------|
| Jaguar      | 23.0                    | 0.5                          | 57                 | 3.4                          | 1.4                 | 0.3                          |
| Rebel       | 21.7                    | 0.5                          | 57                 | 3.4                          | 1.9                 | 0.3                          |
| Kentucky 31 | 27.6                    | 0.6                          | 36                 | 2.2                          | 2.8                 | 0.3                          |

TABLE 4.

DISEASE RATINGS OF TALL FESCUES IN TURF TRIALS
SEEDED FALL, 1980 NEAR HUBBARD, OR AND ADELPHIA, NJ FALL, 1979.
MAINTAINED AT MODERATE FERTILITY

|             | HUBBARD, OR<br>9-1 (9=1east disease) | ADELPHIA, NJ<br>9-1 (9=most disease) |                     |  |
|-------------|--------------------------------------|--------------------------------------|---------------------|--|
| ENTRY       | LEAF SPOT<br>11/19/80                | LEAF SPOT<br>11/79                   | BROWN PATCH<br>9/80 |  |
| Jaguar      | 7.0                                  | 2.8                                  | 0.7                 |  |
| Olympic     | 8.0                                  | 2.9                                  | 2.1                 |  |
| Falcon      | 6.3                                  | 3.5                                  | 1.9                 |  |
| Rebel       | 6.0                                  | 4.7                                  | 1.4                 |  |
| Kentucky 31 | 3.7                                  | 6.4                                  | 3.0                 |  |
| Alta        | 2.7                                  |                                      |                     |  |
| TOP (0.05)  | 0.00                                 |                                      | :                   |  |
| LSD (0.05)  | 0.89                                 | 1.0                                  | 1.3                 |  |

TABLE 5.

TURF RATINGS OF TALL FESCUES IN TURF TRIALS
SEEDED FALL, 1980 NEAR HUBBARD, OR & BELTSVILLE, MD & ADELPHIA, NJ
MAINTAINED AT MODERATE FERTILITY

|             | TURF (<br>ADELPHIA | -            | 9-1 (9=best)<br>HUBBARD, OR | BELTSVILLE, MD |
|-------------|--------------------|--------------|-----------------------------|----------------|
| ENTRY       | 1979-1980<br>AVE.  | 1981<br>AVE. | 1981<br>AVE.                | 1981<br>AVE.   |
| Jaguar      | 7.0                | 7.6          | 6.6                         | 71.3           |
| Olympic     | 6.7                | 6.9          | 6.6                         | 7.0            |
| Falcon      | 6.2                | 6.5          | 5.9                         | 6.8            |
| Rebe1       | 6.6                | 7.3          | 6.5                         | 7.2            |
| Kentucky 31 | 5,2                | 5.0          | 4.0                         | 6.0            |
| LSD (0.05)  | 0.5                | 0.5          | 0.8                         |                |

TABLE 6.

CROWN RUST RATINGS OF TALL FESCUES SEEDED IN YIELD TRIALS NEAR HUBBARD, OR FALL OF 1979 and 1980.

| ENTRY       | 9-1 (9=1eas<br>1979 TEST<br>6/23/81 | st disease)<br>1980 TEST<br>6/23/81 |
|-------------|-------------------------------------|-------------------------------------|
| Olympic     | 9.0                                 | 9.0                                 |
| Jaguar      | 9.0                                 | 9.0                                 |
| Alta        | 6.0                                 | 6.0                                 |
| Rebel       | 5.5                                 | 6.0                                 |
| Kentucky 31 | 8.0                                 | 8.0                                 |

TABLE 7.

TURF TRIALS OF TALL FESCUES
SEEDED NEAR HUBBARD, OR FALL, 1979, 1980 & 1981
COLOR RATINGS WITH ROYAL HORT. SOC. CHARTS

| ENTRY       | 1979 TEST<br>8/81 | 1980 TEST<br>8/81 | 1981 TEST<br>8/82 |
|-------------|-------------------|-------------------|-------------------|
| Jaguar      | 137B              | 137В              | 137В              |
| Olympic     | 136В              | 136в              | 137A              |
| Falcon      | 137в              | 137B              | 137В              |
| Rebel       | 137D              | 137D              | 137D              |
| Kentucky 31 | 143A              | 143A              | 143A              |